Notice of Allowability	Application No.	Applicant(s)
	09/530,394	EDSTROM, TOMAS
	Examiner	Art Unit
	John R. Paradiso	3721
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
 This communication is responsive to <u>amendment filed with RCE 03/25/2004</u>. The allowed claim(s) is/are <u>6 and 10-24</u>. 		
3. The drawings filed on <u>26 April 2000</u> are accepted by the Examiner.		
 4.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.1 each sheet. Replacement sheet(s) should be labeled as such in the paper No./Mail DEPOSIT OF and/or INFORMATION about the deposit of the paper No./Mail DEPOSIT OF and/or INFORMATION about the deposit of the paper No./Mail DEPOSIT OF and/or INFORMATION about the deposit of the paper No./Mail Date 	on's Patent Drawing Review (PTO-9 Amendment / Comment or in the Of 84(c)) should be written on the drawing the header according to 37 CFR 1.121(d	ffice action of gs in the front (not the back) of).
attached Examiner's comment regarding REQUIREMENT F		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary (Paper No./Mail Date 3), 7. ☑ Examiner's Amendm	·

Art Unit: 3721

EXAMINER'S COMMENTS

Request for Continued Examination

1. The request filed on 3/25/2004 for a Continued Examination (RCE) under 37 CFR 1.114 based on parent Application No. 09/530,394 is acceptable and a CPA has been established. An action on the CPA is attached.

Examiner's Amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Scott Servilla on 5/12/2004.

3. The application has been amended as follows:

In claim 10 line 1, the number "1" has been replaced with the number - - 6 - -.

Application/Control Number: 09/530,394

Art Unit: 3721

Response to Arguments

4. Applicant's arguments filed 3/25/2004 have been fully considered and are persuasive.

Reasons for Allowance

5. The following is an examiner's statement of reasons for allowance: the prior art could not alone or in combination anticipate or make obvious a method or apparatus for binding wire around an object in which wire is fed by a feed member from a supply to the object and a measuring means is used to measure the wire, the measuring means being separate from the feed member and downstream from the feed member.

The most pertinent prior art, JONSSON, discloses an apparatus for binding wire around an object, but in JONSSON the measuring device and the wire feed member are not separate.

In MATHEY, NELSON ET AL, and PETERSEN, a separate measuring device is disclosed but in all three references, the wire to be measured is pulled by a feed member downstream from the measuring device, rather than the measuring device being downstream from the feed member, as is claimed in the instant application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/530,394

Art Unit: 3721

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Paradiso. The examiner can normally be reached Monday-Friday, 9:30 p.m. - 6:00 p.m. (ET).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi Rada, can be reached at the number listed below.

Any inquiry of a general nature or relating to the status of this application should be directed to the 3700 Technology Center Receptionist.

Examiner John Paradiso: (703) 308-2825

SCOTT A: SWITH PRIMARY EXAMINEP

May 12, 2004

Additional Phone Numbers:

Supervisor Rinaldi Rada: (703) 308-2187
TC 3700 Receptionist: (703) 308-1148
Customer Service: (703) 306-5648
Fax (directly to Examiner) (703) 746-3253
Fax (Official): (703) 872-9306